

3654



IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Serial No.: 10/627,377

Attorney Docket: 1364 US

Filing Date: 07/25/2003

Confirmation No: 3901

Group Art Unit: 3654

Applicants: Kempf et al.

Title: Electromagnetic seatbelt energy management devices

CERTIFICATE OF FIRST CLASS MAILING

The undersigned hereby certifies that this correspondence (along with any paper referred to as being attached or enclosed), is being deposited with the U.S. Postal Service with sufficient postage as First Class Mail to the Honorable Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450 on the date set forth below.

Date: 11/25/2003

By: Lonnie R. Drayer
Lonnie R. Drayer, Reg. No. 30,375
Attorney for Applicants

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

INFORMATION DISCLOSURE STATEMENT

Applicant submits this Statement in accordance with the duty of disclosure prior to the issuance of a First Office Action on the merits. A copy of each cited publication that is not a U.S. patent or patent application publication is filed herewith, together with a listing on Form PTO/SB/08 of all cited publications. In accordance with the OG Notice dated 05 August 2003 copies of cited U.S. patents and patent application publications are not required for applications filed after 30 June 2003. Applicant respectfully solicits the Examiner's consideration of the cited references and entry thereof into the record of this application.

US 6,186,290 A to Carlson.

WHAT MAKES A GOOD MR FLUID?, J. David Carlson, Presented at the 8th International Conference on Electrorheological (ER) Fluids and Magneto-rheological (MR) Suspensions, Nice, July 19-13, 2001, 8 pp.

COMMERCIAL MAGNETO-RHEOLOGICAL FLUID DEVICES, D. Carlson, D.M. Catanzarite and K. A. St. Clair, Lord Corporation, Cary, NC 27511 USA, 8 pp.

PERMANENT-ELECTROMAGNETIC SYSTEMS ("magnetic cancellation"), Engineering Note, Lord Materials Division, Lord Corporation, Cary, NC 27511, 7 pp.

RHEONITIC™ PASSENGER PROTECTION SYSTEMS, web page printout,
http://www.rhoeonetic.com/passenger_protection_systems, 4/1/2003, Lord Corporation, 1 p.

Respectfully submitted,

A handwritten signature in cursive script, reading "Lonnie R. Drayer", written over a horizontal line.

Lonnie R. Drayer
Reg. No. 30,375
Attorney for Applicant

Key Safety Systems, Inc.
5300 Allen K Breed Hwy.
Lakeland, Florida 33811-1130
Telephone: (863) 668-6000
Facsimile: (863) 668-6130

NOV : 2 8 2003

PTO/SB/08A (08-03)

Approved for use through 07/31/2006. OMB 0651-0031

U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

Substitute for form 1449/PTO

INFORMATION DISCLOSURE STATEMENT BY APPLICANT

(Use as many sheets as necessary)

Sheet	1	of	2
-------	---	----	---

Complete if Known

Application Number	10/627,377
Filing Date	07/25/2003
First Named Inventor	Kempf
Art Unit	3654
Examiner Name	
Attorney Docket Number	1364 US

U. S. PATENT DOCUMENTS

[illegible]

FOREIGN PATENT DOCUMENTS

[illegible]

Examiner Signature		Date Considered	
-----------------------	--	--------------------	--

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant. ¹ Applicant's unique citation designation number (optional). ² See Kinds Codes of USPTO Patent Documents at www.uspto.gov or MPEP 901.04. ³ Enter Office that issued the document, by the two-letter code (WIPO Standard ST.3). ⁴ For Japanese patent documents, the indication of the year of the reign of the Emperor must precede the serial number of the patent document. ⁵ Kind of document by the appropriate symbols as indicated on the document under WIPO Standard ST.16 if possible. ⁶ Applicant is to place a check mark here if English language Translation is attached.

This collection of information is required by 37 CFR 1.97 and 1.98. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 2 hours to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

If you need assistance in completing the form, call 1-800-PTO-9199 (1-800-786-9199) and select option 2.



PTO/SB/08B (08-03)

Approved for use through 07/31/2006. OMB 0651-0031

U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

INFORMATION DISCLOSURE STATEMENT BY APPLICANT (Use as many sheets as necessary)		Complete if Known	
		Applicant Number	10/627,377
		Filing Date	07/25/2003
		First Named Inventor	Kempf
		Art Unit	3654
		Examiner Name	
Sheet 2	of 2	Attorney Docket Number	1364 US

NON PATENT LITERATURE DOCUMENTS			
Examiner Initials*	Cite No. ¹	Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume-issue number(s), publisher, city and/or country where published.	T ²
✓		WHAT MAKES A GOOD MR FLUID?, J. David Carlson, Presented at the 8th International Conference on Electrorheological (ER) Fluids and	
		and Magneto-rheological (MR) Suspensions, Nice, July 19-13, 2001, 8 pp.	
✓		COMMERCIAL MAGNETO-RHEOLOGICAL FLUID DEVICES, D. Carlson, D.M. Catanzarite and K. A. St. Clair, Lord Corporation, Cary, NC 27511, 8 pp.	
✓		PERMANENT-ELECTROMAGNETIC SYSTEMS ("magnetic cancellation"), Engineering Note, Lord Materials Division, Lord Corporation, Cary, NC	
		27511, 7 pp	
✓		RHEONITIC TM PASSENGER PROTECTION SYSTEMS, web page printout, http://www.rhoeonetic.com/passenger_protection_systems , 4/1/2003,	
		Lord Corporation, 1 p.	

Examiner Signature		Date Considered	
--------------------	--	-----------------	--

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

¹ Applicant's unique citation designation number (optional). ² Applicant is to place a check mark here if English language Translation is attached.

This collection of information is required by 37 CFR 1.98. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 2 hours to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO:

Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

If you need assistance in completing the form, call 1-800-PTO-9199 (1-800-786-9199) and select option 2.